

www.oobsmarthome.com


**OOB**<sup>®</sup>  
SMARTHOME  
Touch The Future TODAY



TOUCH THE  
**FUTURE**  
TODAY

Transform Your Home into a Smart Home For  
Safety, Convenience and Cost-Efficiency





# Smart Solutions for Smart Lifestyle

# INDEX

---


SAPPHIRE SERIES	.....	04
PEARL SERIES	.....	06
JADE SERIES	.....	08
CORAL SERIES	.....	10
OTHER PRODUCTS	.....	11
ACCESSORIES	.....	12
APPLICATION	.....	13



# SAPPHIRE

Wi-Fi Touch Series

CONTROL VIA



**Panel Color**



White      Black  
Default

**Finish Type**



Glossy      Matte  
Default

SA8M6TF

-/D | SA | 8M | 6T | F | P | G/MA | W/B | -/I


Dimmer	Series	Module	No. of	Fan	Plug	Finish	Color	Plug Type
Name	Size	Touch	Type	Option	(Normal / Inbuilt)			

SA8M6TFPMAB – Sapphire series 8 modular with 6 points on/off & 1 fan in black color Matte finish with normal plug

SA8M6TFPGBI – Sapphire series 8 modular with 6 points on/off & 1 fan in black color Glossy finish with Inbuilt plug

DSA8M6TFPMABI – Sapphire series 8 modular with 2 Dimming Point + 4 points on/off & 1 fan in black color Matt finish with Inbuilt plug

**Code : SA2M2T | Size : 2M**



Controls : 2 Non Dimmable load 6A

**Code : SA4M2TP | Size : 4M**



Controls : 2 Non Dimmable load 6A  
Socket load 6A

**Code : SA4M4T | Size : 4M**




Controls : 4 Non Dimmable load 6A

**Code : SA6M4TP | Size : 6M**  
**BEST SELLER**



Controls : 4 Non Dimmable load 6A  
Socket load 6A

**Code : SA6M4TF | Size : 6M**  
**BEST SELLER**



Controls : 4 Non Dimmable load 6A  
1 Fan Regulator

**Code : SA6M6T | Size : 6M**



Controls : 6 Non Dimmable load 6A

Note :


- 1 - For any Sapphire model we can configure 2 points as a "Wired 2 - Way" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)
- 2 - For any Sapphire model we can configure 2 points on "Invertor Supply" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)

Code : SA6M6TP | Size : 6M




Controls : 6 Non Dimmable load 6A  
Socket load 6A

Code : SA6M2T2P | Size : 6M



Controls : 2 Non Dimmable load 6A  
Socket load 6A

Code : SA8M6TF | Size : 8M




Controls : 6 Non Dimmable load 6A  
1 Fan Regulator

Code : SA8M6TFP | Size : 8M  
**BEST SELLER**



Controls : 6 Non Dimmable load 6A  
1 Fan Regulator, Socket load 6A

Code : SA8M4TFP | Size : 8M  
**BEST SELLER**



Controls : 4 Non Dimmable load 6A  
1 Fan Regulator, Socket load 6A

Code : SA8M6TP | Size : 8M  
**BEST SELLER**



Controls : 6 Non Dimmable load 6A  
Socket load 6A

Code : SA8M8T | Size : 8M



Controls : 8 Non Dimmable load 6A

Code : SA8M8TP | Size : 8M  
**BEST SELLER**



Controls : 8 Non Dimmable load 6A  
Socket load 6A

Code : SA8M2T3P | Size : 8M



Controls : 2 Non Dimmable load 6A  
Socket load 6A


## Dimmable Model

Code : DSA6M6T | Size : 6M




Controls : 2 Dimmable load  
4 Normal load 6A

Code : DSA6M4TF | Size : 6M



Controls : 2 Dimmable load  
2 Normal load 6A, 1 Fan Regulator

Code : DSA8M6TF | Size : 8M




Controls : 2 Dimmable load  
4 Normal load 6A, 1 Fan Regulator

Code : DSA8M6TP | Size : 8M



Controls : 2 Dimmable load  
4 Normal load 6A, Socket load 6A

Code : DSA8M4TFP | Size : 8M  
**BEST SELLER**




Controls : 2 Dimmable load, 2 Normal load 6A  
1 Fan Regulator, Socket load 6A

Note :

- 1 - We recommended 2 Dimmable Lights/Point For Dimmable
- 2 - For any Sapphire model we can configure 2 points as a "Wired 2 - Way" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)
- 3 - For any Sapphire model we can configure 2 points on "Invertor Supply" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)

# PEARL

Remote Touch Series



PO8M8TP

**PO | 8M | 8T | F | P | G/MA | W/B | -/I**

Series Name	Module Size	No. of Touch	Fan	Plug	Finish Type	Color Option	Plug Type
PO8M6TFPMAB	8M	8T	F	P	G/MA	W/B	-/I

PO8M6TFPMAB - Pearl series 8 modular with 7 points on/off & 1 plug in black color Matte finish with normal plug

PO8M6TFPGBI - Pearl series 8 modular with 7 points on/off & 1 plug in black color Glossy finish with Inbuilt plug

CONTROL VIA



Panel Color



White Black Default

Finish Type



Glossy Matte Default

Code : PO2M2T | Size : 2M

**BEST SELLER**



Controls : 2 Non Dimmable load 6A

Code : PO4M2TP | Size : 4M



Controls : 2 Non Dimmable load 6A  
Socket load 6A

Code : PO4M4T | Size : 4M



Controls : 4 Non Dimmable load 6A

Code : PO6M4TP | Size : 6M



Controls : 4 Non Dimmable load 6A  
Socket load 6A

Code : PO6M6T | Size : 6M



Controls : 6 Non Dimmable load 6A

Code : PO6M2T2P | Size : 6M

**BEST SELLER**




Controls : 2 Non Dimmable load 6A  
Socket load 6A

Note :

1 - For any Pearl model we can configure 2 points as a "Wired 2 - Way" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)


2 - For any Pearl model we can configure 2 points on "Invertor Supply" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)

Code : PO6M4TF | Size : 6M




Controls : 4 Non Dimmable load 6A  
1 Fan Regulator

Code : PO6M6TP | Size : 6M




Controls : 6 Non Dimmable load 6A  
Socket load 6A

Code : PO8M6TFP | Size : 8M




Controls : 6 Non Dimmable load 6A  
1 Fan Regulator, Socket load 6A

Code : PO8M6TF | Size : 8M



Controls : 6 Non Dimmable load 6A  
1 Fan Regulator (Humfree 5 Step)

Code : PO8M4TFP | Size : 8M



Controls : 4 Non Dimmable load 6A  
1 Fan Regulator, Socket load 6A

Code : PO8M6TP | Size : 8M



Controls : 6 Non Dimmable load 6A  
Socket load 6A

Code : PO8M2T3P | Size : 8M

**BEST SELLER**



Controls : 2 Non Dimmable load 6A

Code : PO8M8T | Size : 8M



Controls : 8 Non Dimmable load 6A

Code : PO8M8TP | Size : 8M



Controls : 8 Non Dimmable load 6A

Note :

- 1 - For any Pearl model we can configure 2 points as a "Wired 2 - Way" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)
- 2 - For any Pearl model we can configure 2 points on "Invertor Supply" (For Light module 2 Light & for Fan module 1 Light & 1 Fan)

# JADE

Modular Touch Series

CONTROL VIA



## JA4TF

**Panel Color**




White      Black Default

**Finish Type**




Glossy      Matte Default

Code : JA16A | Size : 2M



Controls : 1 Heavy Point On/Off (16A)

Code : JADB | Size : 2M




Controls : 1 Door Bell Point On/Off

Code : JAC | Size : 2M



Controls : Curtain On/Off

Code : JA2T | Size : 2M



Controls : 2 Point On/Off

Code : JA2TF | Size : 4M



Controls : 2 Point On/Off,  
1 Fan Regulator, 1 Master Switch

Code : JA5T | Size : 4M



Controls : 5 Point On/Off,  
1 Master Switch

Note:

- 1 - Compatible with Legrand Arteor Plates.
- 2 - Price does not include the cost of accessories like plates and sockets.




Code : JA4TF | Size : 6M




Controls : 6 4 Point On/Off,  
1 Fan Regulator, 1 Master Switch

Code : JA7T | Size : 6M




Controls : 7 Point On/Off,  
1 Master Switch

Code : JA6TF | Size : 8M



Controls : 6 Point On/Off,  
1 Fan Regulator, 1 Master Switch

Code : JA9T | Size : 8M



Controls : 9 Point On/Off, 1 Master Switch

Note:


- 1 - Compatible with Legrand Arteor Plates.
- 2 - Price does not include the cost of accessories like plates and sockets.

# CORAL

Tradition Switch Automation




## CA2S (Non Dimmable)



Controls : 2 Normal Load 6A  
Size : 96x41x25 mm

## CA4S (Non Dimmable)




Controls : 4 Normal Load 6A  
Size : 115x41x25 mm

## CA6S (Non Dimmable)




Controls : 6 Normal Load 6A  
Size : 135x41x25 mm

## CA8S (Non Dimmable)



Controls : 8 Normal Load 6A  
Size : 165x41x25 mm

## CA4SF (Non Dimmable)




Controls : 4 Normal Load 6A  
1 Fan on/off and Regulator  
Size : 140x46x30 mm

## CA6SF (Non Dimmable)




Controls : 5 Normal Load 6A  
1 Fan on/off and Regulator  
Size : 150x46x30 mm

## CA2SD (Dimmable)




Controls : 2 Dimmable 6A  
Size : 96x41x25 mm

## CA4SD (Dimmable)




Controls : 2 Normal Load 6A  
2 Dimmable Point 6A  
Size : 115x41x25 mm

## CA6SD (Dimmable)



Controls : 4 Normal Load 6A  
2 Dimmable Point 6A  
Size : 135x41x25 mm

## CA8SD (Dimmable)



Controls : 6 Normal Load 6A  
2 Dimmable Point 6A  
Size : 165x41x25 mm

CONTROL VIA



Note :

- 1 - \*For 16A HLM Required More space Or Such Model didn't Support HLM
- 2 -For Heavy Load like AC & Geyser 16A Of HLM need to be Integrated Separately

# OTHER PRODUCTS


Code : OOBMINIHUB

**BEST SELLER**



Operating Voltage : 5Vdc,1A  
Technology : wi-fi 2.4Ghz, 802.11b/g/n  
IR Frequency : 38Khz  
IR Rang : 3 - 5 meter


Code : OOBCCC




Retrofit Curtain Controller

Code : OOBSCC

**BEST SELLER**




Roller Curtain



Openable Curtain

Code : OOBGAC



OOB Gate Controller lets you control your motorized main gate. The controller is connected in parallel to the existing wired remote controller of the gate


Code : SD2M4T

**BEST SELLER**



Control Different SCENE with single touch

Code : OOBRGBCM



OOB RGB Controller control LED Strip & LED Light

Code : OOBDSL1

**BEST SELLER**



- Series 1 Pro Basic Smart Biometric
- Fingerprint
- RFID Card
- Passcode
- Mechanical key
- VDP Integration Option Available

Code : OOBVDPS2

**BEST SELLER**



- Full HD 1080p Camera Resolution
- Battery Backup upto 6 Months (2200mah Battery)
- PIR Sensor, Night Vision, & Waterproof
- Real Time Notification Alerts, Two Way Talk
- Sd card & Cloud Storage Support
- Wide Angle of 160 degrees
- Tuya/ Smart Life Mobile Application
- Door Lock Integration Option Not Available

Note :

1 - OOBMINIHUB can learn 75% of market IR remote

2 - OOBMINIHUB can control 1 AC, 1 Set top box, 1 Projector, 1 Fan, 1 Music system

# ACCESSORIES

**Code : OOBDLRxTx**



- For VDP - RF Chip Tx Rx Pair Rx-Tx Chip Solution For Vdp Integration Doorlocks

**Code : OOBDLWF**



- For Application - WI-FI Chip (smartlife App)

**Code : OOBDLSTD**



- Aluminium Metal High Quality 360 Degree Rotating Doorlock Stand for Demo

**Code : OOBDMOR**



- Smart Lock Stainless Mortise Door Lock Body 6068 Size

**Code : OOBRFIDV1**



- Smart IC Based RFID Card Replacement For Smart Doorlocks

**Code : OOBMO10A**




- Microwave/Radar Motion Sensor Occupancy Body Motion Detector

**Code : OOBREMOTE**



- Infrared IR Wireless Remote Control

**Code : HLM**



- Addon Module for 16A Switching Like Gyser, AC, Oven etc.

**Code : WiFi**




- WiFi Chip

Note :


1-\*Installation charges not included

# Smarthome via Smartphone


Smart App  
to control your  
smarthome




Manage your Room  
and Add Room




Login & Setting



Easy Appliance Control



Time Scheduling




Create your scene




RGB Controller


Add Favorite  
Temperature  
on/off  
AC Control




OOB SMARTHOME  
APPLICATION




Group -  
turn on all and  
turn off all selected  
devices  
at single click



Dimming  
& Child Lock



Curtain Controls  
Scheduling



TV Controller



**O O B**<sup>®</sup>  
SMARTHOME  
Touch The Future TODAY

[www.oobsmarthome.com](http://www.oobsmarthome.com)

**O O B SMARTHOME INDIA PVT. LTD.**

B-407,408,409, Shantiniketan Business Center,  
Nr. Domino's Pizza, Gangotri Circle, Nikol  
Ahmedabad - 382350, Gujarat, INDIA.

M : +91 90 81 87 87 89 | E : [reach@oobsmarthome.com](mailto:reach@oobsmarthome.com)

Available On



Follow Us



Recognized & Trusted By



\*Terms & Condition Apply